



MATERIAL SAFETY DATA SHEET

STATEMENT OF HAZARDOUS NATURE

Not classified as hazardous according to criteria of Worksafe Australia.

COMPANY DETAILS

Company:	<i>Wynn's Australia Pty. Limited</i>
Address:	<i>1 Rodborough Road, Frenchs Forest N.S.W. 2086. P.O. Box 6096, Frenchs Forest N.S.W. 1640.</i>
Telephone Number:	<i>(02) 9451 3444</i>
Emergency Telephone Number:	<i>None Available</i>
Fax Number:	<i>(02) 9975 1785</i>
E-Mail:	<i>wynnsaus@wynns.net</i>

IDENTIFICATION

Product Name:	<i>Wynn's Spitfire Diesel Fuel Treatment</i>
Other Names:	<i>None allocated</i>
Manufacturer's Product Code:	<i>35301 350 ml</i>
UN Number:	<i>None allocated</i>
Dangerous Goods Class and Subsidiary Risk:	<i>None allocated</i>
Hazchem Code:	<i>None allocated</i>
Poisons Schedule Number:	<i>None allocated</i>
Use:	<i>A hydrocarbon based diesel fuel system cleaning fluid</i>

Physical Description/Properties

Appearance:	<i>Clear thin amber liquid</i>
Boiling Point (°C):	<i>149-207</i>
Vapour Pressure (pascals or mm of Hg at 25°C):	<i>Not available</i>
Specific Gravity:	<i>0.87</i>
Flash Point (°C):	<i>84 (ASTM D 93)</i>
Flammability Limits (%):	<i>Not applicable</i>
Solubility in Water (g/L):	<i>Nil</i>

Other Properties:

Ingredients

<u>Chemical Entity:</u>	<u>CAS Number:</u>	<u>Proportion:</u>
<i>petroleum distillate</i>	<i>[68334-30-5]</i>	<i>>60%</i>
<i>petroleum distillate</i>	<i>[64742-94-5]</i>	<i><10%</i>
<i>polyolefin amide alkeneamine</i>		<i><10%</i>
<i>surfactants</i>		<i><10%</i>

HEALTH HAZARD INFORMATION

Health Effects

Acute

Swallowed: *Ingestion of this material may cause vomiting. Aspiration into the lungs during ingestion or vomiting can result in severe pulmonary damage.*

Eye: *May cause irritation to eyes..*

Skin: *May cause irritation to skin. Prolonged or repeated contact can result in defatting and drying of skin..*

Inhaled: *Inhalation of vapours or mist may cause mild irritation to the upper respiratory tract. High level exposure may result in central nervous system depression..*

Chronic *Chronic exposure may cause kidney and liver damage.*

First Aid

Swallowed: *Do not induce vomiting. If vomiting occurs keep head below hips to help keep liquid from entering the lungs. Call for medical attention..*

Eye: *Flush eyes with water for 15 minutes. If irritation persists, call for medical help..*

Skin: *Remove contaminated clothing. Wash affected area with soap and water. If irritation persists, call for medical help.*

Inhaled: *Remove person to fresh air to avoid further inhalation.*

First Aid Facilities: *Eye wash station.*

Advice to Doctor: *Aspiration into the lungs during ingestion or vomiting can result in severe pulmonary damage.*

PRECAUTIONS FOR USE

Exposure Standards: *Threshold Limit Value (TLV): 5mg/m³ as Mist (Petroleum Hydrocarbon)
OSHA PEC. ACGIH TLV-TWA..*

Engineering Controls: *Provide adequate general or local ventilation to maintain concentrations below TLV/PEL limits.*

Personal Protection: *None normally required. If vapours exceed TLV/PEL values, use a NIOSH approved respirator.*

Glove Type: *Chemical resistant gloves.*

Eye Protection: *Safety glasses.*

Flammability: *Not flammable. Combustible.*

SAFE HANDLING INFORMATION

- Storage and Transport: *Keep away from heat and sparks. Keep containers closed. Keep out of reach of children. Transport as non-dangerous goods.*
- Spills and Disposal: *Isolate area and restrict entry. Eliminate all sources of ignition. Use absorbent, sand or clay. Shovel into containers. Remove outside. Prevent liquid from entering sewers and water ways. Dispose of in accordance with Federal, State and Local regulations.*
- Fire/Explosion Hazard: *Combustible liquid. Avoid heat, flame or other sources of ignition. Avoid strong oxidising agents. Vapours may be ignited by heat or flame. Containers exposed to heat from fire should be cooled with water to prevent vapour pressure build up.*
- Dry chemicals, carbon dioxide, water spray and foam are recommended fire extinguishing media.*
- Use water only to cool containers. Fire fighters should wear self contained breathing apparatus when hydrocarbons are involved in fire.*
- Thermal decomposition may product oxides of carbon, sulphur and nitrogen.*

OTHER INFORMATION

This material has not been identified as a carcinogen by NTP, IARC or OSHA.

Contains no other ingredients now known to be hazardous as defined by OSHA 29CFR 1910.1000(z) and 29CFR 1910.1200.

CONTACT POINT

*Technical Manager (business hours)
Wynn's Australia Pty Ltd (02) 9451 3444*

Poisons Information Centre (24 hours) 131126

Note: This form has been prepared in accordance with WORKSAFE AUSTRALIA NATIONAL CODE OF PRACTICE FOR THE PREPARATION OF MATERIAL SAFETY DATA SHEETS [NOHSC:2011 (1994)] issued by the NATIONAL OCCUPATION HEALTH AND SAFETY COMMISSION MARCH 1994.

All information contained in this form is as accurate as possible at the time of issue. The data contained herein is not to be taken as an expressed or implied warranty or representation, for which Wynn's Australia Pty Ltd assumes legal responsibility. No responsibility for damages resulting from use of the information are given, other than those implied mandatorily by Federal or State Government Legislation.