



MATERIAL SAFETY DATA SHEET

STATEMENT OF HAZARDOUS NATURE

Not classified as hazardous according to criteria of Worksafe Australia.

COMPANY DETAILS

Company:	<i>Wynn's Australia Pty. Limited</i>
Address:	<i>1 Rodborough Road, Frenchs Forest N.S.W. 2086. P.O. Box 6096, Frenchs Forest N.S.W. 1640.</i>
Telephone Number:	<i>(02) 9451 3444</i>
Emergency Telephone Number:	<i>None Available</i>
Fax Number:	<i>(02) 9975 1785</i>
E-Mail:	<i>wynnsaus@wynns.net</i>

IDENTIFICATION

Product Name:	<i>Wynn's Supreme Charge! Engine Oil Treatment</i>
Other Names:	<i>None allocated</i>
Manufacturer's Product Code:	<i>56908</i> 350ml
UN Number:	<i>None allocated</i>
Dangerous Goods Class and Subsidiary Risk:	<i>None allocated</i>
Hazchem Code:	<i>None allocated</i>
Poisons Schedule Number:	<i>None allocated</i>
Use:	<i>A mineral oil based engine oil lubricant</i>

Physical Description/Properties

Appearance:	<i>Clear dark brown thick liquid</i>
Boiling Point (°C):	<i>288</i>
Vapour Pressure (pascals or mm of Hg at 25°C):	<i><0.1 (mm Hg)</i>
Specific Gravity:	<i>0.88</i>
Flash Point (°C):	<i>193</i>
Flammability Limits (%):	<i>Not available</i>
Solubility in Water (g/L):	<i>Nil</i>

Other Properties:

Volatiles (%): Nil

Ingredients

<u>Chemical Entity:</u>	<u>CAS Number:</u>	<u>Proportion:</u>
<i>petroleum oil</i>	[64742-54-7]	>60%
<i>petroleum oil</i>	[64741-96-4]	10 - <30%
<i>olefin copolymers</i>		<10%
<i>zinc dialkyldithiophosphate</i>		<10%
<i>detergent/dispersant</i>		<10%

HEALTH HAZARD INFORMATION

Health Effects

Acute

Swallowed: *If swallowed, may cause slight irritation to digestive tract. Signs and symptoms are discomfort, nausea, vomiting.*

Eye: *Will cause irritation to the eyes on direct contact, symptoms include redness and blurred vision.*

Skin: *May absorb on prolonged contact. Can cause irritation to skin. Prolonged contact causes redness, defatting of skin to sensitive individuals.*

Inhaled: *Vapours generated at elevated temperatures can cause irritation to respiratory tract.*

Chronic *Prolonged and repeated contact with skin and eyes will cause skin and eye irritation, defatting of skin and redness.*

First Aid

Swallowed: *Do not induce vomiting. Give 2-3 cups of water or milk. Call for medical help.*

Eye: *Flush eyes with water for 15 minutes. If irritation persists, call for medical help.*

Skin: *Wash affected area with soap and water. If irritation persists, call for medical help.*

Inhaled: *Remove to fresh air to avoid further inhalation.*

First Aid Facilities: *Eye wash station.*

Advice to Doctor: *Treatment should be controlled by symptoms and clinical conditions. Emesis may be induced under medical supervision.*

PRECAUTIONS FOR USE

Exposure Standards: *Threshold Limit Value (TLV): 5 mg/m³ as Mist (Petroleum Oil).
OSHA PEL. ACGIH TLV-TWA.*

Engineering Controls:	<i>Use in a normal ventilated area. If misting occurs, a mechanical or local exhaust is recommended.</i>
Personal Protection:	<i>Wear impervious gloves and suitable eye protection. Personal cleanliness is always appropriate. Frequent washing minimizes inadvertent exposure.</i>
Glove Type:	<i>PVC or Nitrile gloves. Rubber, plastic gloves.</i>
Eye Protection:	<i>Industrial safety glasses or chemical goggles.</i>
Flammability:	<i>Non-flammable. Combustible.</i>

SAFE HANDLING INFORMATION

Storage and Transport:	<i>No special storage or transport requirements are necessary. Store in cool, well ventilated area. Keep out of reach of children.</i>
Spills and Disposal:	<i>Use absorbent sand, clay or vermiculite. Shovel into containers. Prevent liquid from entering into sewers and waterways. Dispose of in accordance with Federal, State and Local regulations.</i>
Fire/Explosion Hazard:	<i>No special precautions other than combustible liquid. Combustion will produce smoke and toxic fumes. Avoid heat, open flame, strong oxidizing agents. Use water to cool fire-exposed containers. Fire fighters should use a self contained breathing apparatus. Use dry chemicals, carbon dioxide, water fog, foam as extinguishing media. Thermal decomposition may produce oxides of carbon, sulphur, nitrogen, phosphorus and zinc.</i>

OTHER INFORMATION

This material has not been identified as a carcinogen by NTP, IARC OR OSHA. Contains no other ingredients now known to be hazardous as defined by OSHA 29CFR 1920.1000(z) and 29CFR 1910.1200.

CONTACT POINT

*Technical Manager (business hours)
Wynn's Australia Pty Ltd (02) 9451 3444*

Poisons Information Centre (24 hours) 131126

Note: This form has been prepared in accordance with WORKSAFE AUSTRALIA NATIONAL CODE OF PRACTICE FOR THE PREPARATION OF MATERIAL SAFETY DATA SHEETS [NOHSC:2011 (1994)] issued by the NATIONAL OCCUPATION HEALTH AND SAFETY COMMISSION MARCH 1994.

All information contained in this form is as accurate as possible at the time of issue. The data contained herein is not to be taken as an expressed or implied warranty or representation, for which Wynn's Australia Pty Ltd assumes legal responsibility. No responsibility for damages

resulting from use of the information are given, other than those implied mandatorily by Federal or State Government Legislation.