



PRODUCT INFORMATION SHEET

WYNN'S SUPREME AUTOMATIC TRANSMISSION TREATMENT

Product Number: 64511 350 ml

WYNN'S SUPREME AUTOMATIC TRANSMISSION TREATMENT has been designed to stop and prevent seal leaks in automatic transmissions, and to condition automatic transmission fluids to prevent and correct deposit-caused automatic transmission problems.

Advantages

Wynn's Supreme Automatic Transmission Treatment has been formulated to help:-

- Stop and prevent leaks due to drying or shrinking seals.
- Maintain automatic transmission performance in service.
- Fight automatic transmission fluid breakdown due to heat and oxidation.
- Revitalise seals and O-rings to maintain internal pressure.
- Prevent oxidation and extend fluid life.
- Smooth transmission operation.
- Keep transmission clean.
- Stop and prevent rough shifting.

Benefits

Wynn's Supreme Automatic Transmission Treatment is formulated to provide the following benefits listed under each basic chemical ingredient.

SEAL CONDITIONER

- Corrects seal leaks caused by shrunken seals.
- Does not adversely affect the elasticity properties of new transmission seals.
- Supplements the seal swell properties of drainable used fluid during a fluid change.

- Maintains new seal pliability over a longer interval.
- Compatible with factory approved automatic transmission fluids.

DETERGENTS/DISPERSANTS

- Maintains automatic transmission cleanliness, thereby helping to assure transmission life and performance.
- Removes existing deposits, thus helping to restore proper automatic transmission operation.
- Supplements the detergent/dispersant properties of undrainable used fluid during the fluid change.
- Helps assure proper transmission lubrication by removing and preventing the accumulation of deposits.

OXIDATION INHIBITORS

- Retards automatic transmission fluid oxidation and the resultant formation of deposits which can impede proper transmission operation.
- Provides additional protection to automatic transmissions operating under high temperature conditions, such as trailer towing.
- Increases the life of automatic transmission fluids.
- Supplements the oxidation inhibitor properties of undrainable used fluid during a fluid change.

CORROSION INHIBITORS

- Protects internal automatic transmission surfaces against rust and corrosion problems, caused by condensation and oxidation by-products.
- Supplements the corrosion inhibitor properties of undrainable fluid during a fluid change.

ANTIWEAR ADDITIVES

- Prevents automatic transmission wear between opposing metal surfaces without adversely affecting transmission shift points.
- Supplements the antiwear properties of undrainable used fluid during a fluid change.

Application

Wynn's Automatic Transmission Treatment is compatible with all automatic transmission fluids. For automatic transmissions, add contents of 350 ml bottle to automatic transmission. Do not overfill. Recommended for use at 5% by volume.

Typical Characteristics

Appearance	Clear Thin Liquid
Colour (Visual)	Amber
Colour (ASTM D 1500)	3.5
Viscosity @ 40°C (cSt)	34.9
Viscosity @ 100°C (cSt)	6.62
Viscosity Index	148
Density @ 15°C	0.870
Flash Point (°C)	124
Pour Point (°C)	-22